
































№	Наименование	Технические параметры	Цена, руб. / шт					
			ZN	Сталь 430		Сталь 304	Сталь 316	
				нерж 0,5	нерж 0,8	нерж 0,8	нерж 0,8	
1	<b>Переход D115-D120</b>							
				433	560	645		
2	<b>Муфта-адаптер Н=120 мм</b>	<b>D</b>	<b>ZN</b>	<b>нерж 0,5</b>	<b>нерж 430 0,8</b>	<b>нерж 304 0,8</b>	<b>нерж 316 0,8</b>	
		d 115			299	363	405	
		d 120			301	373	420	
		d 130			335	421	479	
		d 150			346	441	504	
		d 180			394	509	585	
		d 200			418	545	630	
		d 220			500	659	765	
		d 250			527	700	816	
		d 270			554	742	867	
d 300				615	776	912		
3	<b>Шиббер-затвор</b>	<b>H=250мм</b>	<b>ZN</b>	<b>нерж 0,5</b>	<b>нерж 430 0,8</b>	<b>нерж 304 0,8</b>	<b>нерж 316 0,8</b>	
		d 115			1238	1467	1685	
		d 120			1375	1629	1872	
		d 130			1464	1761	2039	
		d 150			1490	1765	2028	
		d 180			2144	2670	3144	
		d 200			2150	2747	3120	
		d 220			2538	3298	3961	
		d 250			2702	3488	4178	
		d 270			2981	3849	4610	
d 300				3528	4756	5806		
4	<b>Шиббер-заслонка поворотная</b>	<b>H=250мм</b>	<b>ZN</b>	<b>нерж 0,5</b>	<b>нерж 430 0,8</b>	<b>нерж 304 0,8</b>	<b>нерж 316 0,8</b>	
		d115			748	904	1049	
		d120			798	988	1161	
		d130			824	1020	1199	
		d150			849	1052	1236	
		d180			1198	1580	1910	
		d200			1348	1775	2144	
		d220			1928	2704	3355	
		d250			2012	2785	3437	
		d270			2164	3000	3704	
d300				2218	3083	3811		
5	<b>Труба Н=250мм</b>	<b>D</b>	<b>ZN</b>	<b>нерж 0,5</b>	<b>нерж 430 0,8</b>	<b>нерж 304 0,8</b>	<b>нерж 316 0,8</b>	
		d 100						
		d 115				418	545	630
		d 120				445	594	693
		d 130				461	615	718
		d 150				501	679	798
		d 180				584	800	945
		d 200				584	800	945
		d 220				743	1031	1224
		d 250				796	1113	1326
d 270					877	1237	1479	
d 300				927	1320	1584		
6	<b>Труба Н=500мм</b>	<b>D</b>	<b>ZN</b>	<b>нерж 0,5</b>	<b>нерж 430 0,8</b>	<b>нерж 304 0,8</b>	<b>нерж 316 0,8</b>	
		d 100			384	707	978	1207
		d 115			384	707	978	1207
		d 120			468	755	1063	1320
		d 130			498	886	1246	1547
		d 150			552	930	1324	1653
		d 180			603	1166	1669	2088
		d 200			688	1166	1669	2088
		d 220			765	1516	2194	2756
		d 250			804	1591	2316	2915
d 270				888	1741	2546	3211	
d 300			916	1741	2546	3211		
7	<b>Труба Н=1000мм</b>	<b>D</b>	<b>ZN</b>	<b>нерж 0,5</b>	<b>нерж 430 0,8</b>	<b>нерж 304 0,8</b>	<b>нерж 316 0,8</b>	
		d 100			658			
		d 115			658	1057	1498	1866
		d 120			805	1098	1556	1938
		d 130			863	1249	1783	2228
		d 150			952	1312	1884	2359
		d 180			1078	1695	2457	3089
		d 200			1115	1837	2676	3370
		d 220			1424	2393	3505	4423
		d 250			1603	2441	3593	4543
d 280				1692	2487	3669	4643	
d 300			1870	2644	3915	4961		

8	<b>Проходной узел круглый</b>	<b>Фланец / D</b>	<b>ZN</b>	<b>нерж 0,5</b>	<b>ZN 0,5+ZN 0,5</b>	<b>нерж 430 0,5+ZN 0,5</b>	
		480x480 d115/d200			903	1218	
		480x480 d120/d200			903	1218	
		480x480 d130/d200			903	1218	
		480x480 d150/d210			903	1218	
		480x480 d180/d250			1128	1218	
		480x480 d200/d270			1333	1390	
		480x480 d210/d300			1333	1390	
		600x600 d250/d320			1333	1814	
		600x600 d270/d340			1682	2302	
600x600 d300/d370				1682	2302		
9	<b>Проходной узел квадратный</b>	<b>Фланец / D</b>	<b>ZN</b>	<b>нерж 0,5</b>	<b>ZN 0,5+ZN 0,5</b>	<b>нерж 430 0,5+ZN 0,5</b>	
		480x480 Ø115/215*215			903	1218	
		480x480 Ø120/220*220			903	1218	
		480x480 Ø130/220*220			903	1218	
		480x480 Ø150/250*250			903	1218	
		480x480 Ø180/280*280			1128	1218	
		480x480 Ø200/300*300			1333	1390	
		480x480 Ø210/320*320			1333	1390	
		600x600 Ø250/340*340			1333	1814	
		600x600 Ø270/360*360			1682	2302	
600x600 Ø300/380*380				1682	2302		
10	<b>Проходной узел круглый УТЕПЛЕННЫЙ</b>	<b>Фланец / D</b>	<b>ZN</b>	<b>нерж 0,5</b>	<b>ZN 0,5+ZN 0,5</b>	<b>нерж 430 0,5+ZN 0,5</b>	
		480x480 d115/d200			2420	2462	
		480x480 d120/d200			2420	2462	
		480x480 d130/d200			2420	2462	
		480x480 d150/d210			2420	2462	
		480x480 d180/d250			2420	2462	
		480x480 d200/d270			2551	2585	
		480x480 d220/d300			3189	3446	
		600x600 d250/d320			3417	3034	
		600x600 d270/d340			3768	3668	
600x600 d300/d370				3768	3668		
11	<b>Проходной узел круглый УТЕПЛЕННЫЙ</b>	<b>Фланец / D</b>	<b>ZN</b>	<b>нерж 0,5</b>	<b>ZN 0,5+ZN 0,5</b>	<b>нерж 430 0,5+ZN 0,5</b>	
		480x480 d115			2420	2462	
		480x480 d120			2420	2462	
		480x480 d130			2420	2462	
		480x480 d150			2420	2462	
		480x480 d180			2420	2462	
		480x480 d200			2551	2585	
		480x480 d220			3189	3446	
		600x600 d250			3417	3034	
		600x600 d280			3768	3668	
600x600 d300				3768	3668		
12	<b>Проходной лист ПРЯМОЙ</b>	<b>Фланец / D</b>	<b>ZN</b>	<b>нерж 0,5</b>	<b>нерж 430 0,8</b>	<b>нерж 304 0,8</b>	<b>нерж 316 0,8</b>
		480x480 d115	513	581			
		480x480 d120	513	581			
		480x480 d130	513	581			
		480x480 d150	513	581			
		480x480 d180	513	581			
		480x480 d200	513	581			
		480x480 d220	513	581			
		600x600 d250	513	581			
		600x600 d270	513	581			
		600x600 d300	513	581			
		600x600 d320	513	581			
		600x600 d350	513	581			
600x600 d370		513	581				
13	<b>Проходной лист УГЛОВОЙ</b>	<b>Фланец / D</b>	<b>ZN</b>	<b>нерж 0,5</b>	<b>нерж 430 0,8</b>	<b>нерж 304 0,8</b>	<b>нерж 316 0,8</b>
		480x480 d115	582	645			
		480x480 d120	582	645			
		480x480 d130	582	645			
		480x480 d150	582	645			
		480x480 d180	582	645			
		480x480 d200	582	645			
		480x480 d220	582	645			
		600x600 d250	582	645			
		600x600 d270	582	645			
		600x600 d300	582	645			
		600x600 d320	582	645			
		600x600 d350	582	645			
600x600 d370		582	645				

14	<b>УГОЛ 45 град</b>	<b>D</b>	<b>ZN</b>	<b>нерж 0,5</b>	<b>нерж 430 0,8</b>	<b>нерж 304 0,8</b>	<b>нерж 316 0,8</b>
		d 115		378	658	854	1026
		d 120		421	680	884	1061
		d 130		446	725	955	1155
		d 150		475	775	1029	1248
		d 180		743	1050	1405	1709
		d 200		764	1287	1761	2164
		d 220		921	1553	2129	2617
		d 250		1046	1638	2267	2798
		d 270		1077	1822	2542	3148
d 300			1107	2629	3781	4739	
15	<b>УГОЛ 90 град</b>	<b>D</b>	<b>ZN</b>	<b>нерж 0,5</b>	<b>нерж 430 0,8</b>	<b>нерж 304 0,8</b>	<b>нерж 316 0,8</b>
		d 115		545	828	1048	1244
		d 120		593	828	1048	1244
		d 130		670	931	1206	1447
		d 150		740	1013	1333	1609
		d 180		1342	1580	2088	2528
		d 200		1358	1785	2395	2918
		d 220		1688	2223	3054	3757
		d 250		1888	2223	3054	3757
		d 270		2006	2857	4001	4961
d 300			2023	3094	4365	5429	
16	<b>ТРОЙНИК 90 град</b>	<b>D</b>	<b>ZN</b>	<b>нерж 0,5</b>	<b>нерж 430 0,8</b>	<b>нерж 304 0,8</b>	<b>нерж 316 0,8</b>
		d 115			1395	1836	2218
		d 120			1395	1836	2218
		d 130			1498	1994	2421
		d 150			1724	2317	2825
		d 180			2085	2847	3495
		d 200			2350	3232	3977
		d 220			2936	4017	4933
		d 250			3071	4223	5198
		d 270			3200	4382	5385
d 300				3556	4912	6057	
17	<b>ТРОЙНИК-КОМПЛЕКТ 45 град</b>	<b>D</b>	<b>ZN</b>	<b>нерж 0,5</b>	<b>нерж 430 0,8</b>	<b>нерж 304 0,8</b>	<b>нерж 316 0,8</b>
		d 115			1642	2161	2610
		d 120			1717	2260	2729
		d 130			1844	2454	2979
		d 150			2155	2897	3531
		d 180			2502	3417	4194
		d 200			2644	3636	4475
		d 220			3454	4725	5804
		d 250			3793	5217	6421
		d 270			4335	5937	7295
d 300				4779	6601	8140	
18	<b>ХОМУТ ОБЖИМНОЙ</b>	<b>D</b>	<b>ZN</b>	<b>нерж 0,5</b>	<b>нерж 430 0,8</b>	<b>нерж 304 0,8</b>	<b>нерж 316 0,8</b>
		d 115		213			
		d 120		213			
		d 130		227			
		d 150		240			
		d 180		266			
		d 200	192	306			
		d 220	240	350			
		d 250	283	368			
		d 270	305	385			
d 300		376	394				
d 320	376	504					
d 350	391	504					
d 370	391	532					
19	<b>ХОМУТ - РАСТЯЖКА</b>	<b>D</b>	<b>ZN</b>	<b>нерж 0,5</b>	<b>нерж 430 0,8</b>	<b>нерж 304 0,8</b>	<b>нерж 316 0,8</b>
		d 115			234	277	
		d 120			248	298	
		d 130			248	298	
		d 150			262	316	
		d 180			291	359	
		d 200			349	435	
		d 220			369	461	
		d 250			384	483	
		d 270			384	483	
d 300				398	505		
d 320			540	723			
d 350			540	723			
d 370			540	723			

20	<b>КРОВЕЛЬНЫЙ ЭЛЕМЕНТ ПРЯМОЙ с фланцем</b>	<b>Фланец / D</b>	<b>ZN</b>	<b>нерж 0,5</b>	<b>нерж 430 0,8</b>	<b>нерж 304 0,8</b>	<b>нерж 316 0,8</b>	
		480x480 d115/d200	1930	2780				
		480x480 d120/d200	1930	2780				
		480x480 d130/d200	2316	2780				
		480x480 d150/d220	2446	2990				
		480x480 d180/d250	2576	3440				
		480x480 d200/d270	2835	4163				
		480x480 d210/d300	2990	4647				
		480x480 d250/d320	3327	4971				
570x570 d270/d370	3561	6355						
570x570 d300/d370	4235	6919						
21	<b>КРОВЕЛЬНЫЙ ЭЛЕМЕНТ УГЛОВОЙ с фланцем</b>	<b>Фланец / D</b>	<b>ZN</b>	<b>нерж 0,5</b>	<b>нерж 430 0,8</b>	<b>нерж 304 0,8</b>	<b>нерж 316 0,8</b>	
		480x480 d115/d200	2180	2355				
		480x480 d120/d200	2180	2355				
		480x480 d130/d200	2180	3140				
		480x480 d150/d220	2288	3350				
		480x480 d180/d250	2876	3560				
		480x480 d200/d270	3135	3980				
		480x480 d210/d300	3290	4232				
		480x480 d250/d320	3627	4778				
570x570 d270/d350	3861	5156						
570x570 d300/d370	4535	6248						
22	<b>ЗОНТ</b>	<b>D</b>	<b>ZN</b>	<b>нерж 0,5</b>	<b>нерж 430 0,8</b>	<b>нерж 304 0,8</b>	<b>нерж 316 0,8</b>	
		d 100	406	603				
		d 115	406	603				
		d 120	419	659				
		d 130	419	659				
		d 150	454	716				
		d 180	513	886				
		d 200	532	971				
		d 220	654	1056				
d 250	684	1268						
d 270	837	1665						
d 300	924	2144						
23	<b>ЗОНТ - ИСКРОГАСИТЕЛЬ</b>	<b>D</b>	<b>ZN</b>	<b>нерж 0,5</b>	<b>нерж 430 0,8</b>	<b>нерж 304 0,8</b>	<b>нерж 316 0,8</b>	
		d 115			947	1151	1339	
		d 120			947	1151	1392	
		d 130			1022	1254	1467	
		d 150			1135	1416	1670	
		d 180			1396	1772	2106	
		d 200			1459	1835	2172	
		d 220			1810	2375	2865	
		d 250			1810	2375	2865	
d 270			1999	2564	3061			
d 300			2210	2802	3329			
24	<b>Заглушка</b>	<b>D</b>	<b>ZN</b>	<b>нерж 0,5</b>	<b>нерж 430 0,8</b>	<b>нерж 304 0,8</b>	<b>нерж 316 0,8</b>	
		d 115			428	504	555	
		d 120			428	504	555	
		d 130			437	523	580	
		d 150			488	607	686	
		d 180			570	723	825	
		d 200			594	759	870	
		d 220			700	902	1037	
		d 250			727	943	1088	
d 270			754	984	1139			
d 300			811	1082	1264			
d 320			915	1232	1445			
d 350			1023	1398	1649			
d 370			1064	1471	1744			
25	<b>ЗАГЛУШКА С КОНДЕНСАТООТВОДОМ</b>	<b>D</b>	<b>ZN</b>	<b>нерж 0,5</b>	<b>нерж 430 0,8</b>	<b>нерж 304 0,8</b>	<b>нерж 316 0,8</b>	
		d 115			630	707	758	
		d 120			630	707	758	
		d 130			632	718	776	
		d 150			677	796	875	
		d 180			773	925	1028	
		d 200			797	962	1073	
		d 220			930	1131	1267	
		d 250			957	1173	1318	
d 270			983	1214	1369			
d 300			1027	1298	1480			
d 320			1136	1453	1666			
d 350			1244	1619	1870			
d 370			1272	1679	1952			

26	<b>КРОНШТЕЙН -КОМПЛЕКТ ТЕЛЕСКОПИЧЕСКИЙ 750мм</b>	<b>D</b>	<b>L= 750 1,5мм</b>
		d 200	2244
		d 210	2278
		d 250	2382
		d 270	2420
		d 300	2415
		d 320	2486
		d 350	2555
d 370	2658		
27	<b>КРОНШТЕЙН ПРИСТЕННЫЙ</b>	<b>D</b>	<b>Сталь 1,5мм</b>
		d 115	718
		d 120	752
		d 130	752
		d 150	787
		d 180	787
		d 200	890
		d 220	925
		d 250	994
		d 270	1029
		d 300	1098
		d 320	1132
		d 350	1201
		d 370	1271
28	<b>КРОНШТЕЙН ПРИСТЕННЫЙ телескопический</b> ВЫЛЕТ - 100 мм.	<b>D</b>	<b>Сталь 1,5мм</b>
		d 115	1110
		d 120	1172
		d 130	1203
		d 150	1295
		d 180	1326
		d 200	1387
		d 220	1479
		d 250	1633
		d 270	1756
		d 300	1848
		d 320	1879
		d 350	1909
		d 370	1940
29	<b>СТАРТОВО-РАЗГРУЗОЧНАЯ ПЛОЩАДКА</b>	<b>D</b>	<b>Сталь 1,5мм</b>
		d115/d200	2797
		d120/d200	3500
		d130/d200	3500
		d150/d220	3556
		d180/d250	3677
		d200/d270	3968
		d220/d300	3990
		d250/d320	4364
		d280/d350	4532
d300/d370	4713		
30	<b>КРОНШТЕЙН ВСПОМОГАТЕЛЬНЫЙ</b> для крепления к стропильной системе кровли	<b>D</b>	<b>Сталь 1,5мм</b>
		d 115	
		d 120	
		d 130	
		d 150	
		d 180	
		d 200	
		d 220	
		d 250	
		d 280	
		d 300	
31	<b>ФЛАНЕЦ декоративный</b>	<b>D</b>	<b>Нерж 430 0,5</b>
		d 200	479
		d 220	548
		d 250	641
		d 270	687
		d 300	779
		d 320	872
		d 350	1010
d 370	1056		